

Biscayne Bay

2015 Bottlenose Dolphin Strandings

September 15, 2015 Jenny Litz, PhD Jenny.litz@noaa.gov

Background

- NMFS has been studying bottlenose dolphins in Biscayne Bay since 1990
- Resident bottlenose dolphins in the bay
- Potentially another resident group just outside the Bay
- Generally low stranding rates in Dade County
- No dolphin mortality events previously recorded in Biscayne Bay



Atlantic Ocean Haulover Inlet Gulf of Mexico Florida, USA Miami River Port of Miami *Tursiops* strandings 1996 - 2015 2015 Ttonly 1996 - 2000 2001 - 2005 2006 - 2010 2011 - 2014 0 1 2 Nautical Miles

Dade County Strandings by year

	All Cetaceans	Tursiops
1996	3	1
1997	5	3
1998	0	0
1999	4	2
2000	2	2
2001	3	0
2002	2	2
2003	4	1
2004	1	1
2005	3	2
2006	3	3
2007	2	1
2008	3	2
2009	4	4
2010	3	2
2011	1	1
2012	1	1
2013	1	1
2014	1	1
2015	7	6
Avg. + 2SD	5	3.6



5 strandings in 6 miles since 4/29






Photo-Id sightings – only sightings 1994 - 2008 presented, need to evaluate recent years

